Zantac° 13) HOUR ACTION

USE ZANTAC FOR

Effective, long-lasting 12 hour relief from heartburn and acid indigestion due to gastro-oesophageal reflux with one tablet.

Zantac works by controlling the production of stomach acid.

BEFORE TAKING ZANTAC, ASK YOUR DOCTOR OF PHARMACIST

· You are taking other medicines, aspirin or other anti-inflammatory medicines . You are over 40 and have heartburn and indigestion symptoms

OM ID INDIGESTION

12 HOUR ACTION

- . You have been told you have a stomach ulcer by your doctor
- · You have any other medical condition or allergies

DO NOT USE ZANTAC IF

- · You are allergic to ranitidine
- . You are pregnant or breast feeding unless on the advice of your doctor
- You have recently experienced unintended weight loss
- · You have black stools
- . Under 12 years of age unless directed to do so by your doctor
- . Expiry date has past or foil is broken

HOW TO USE ZANTAC

How to take Age

- 12-Adult Swallow 1 tablet whole (do not chew) with water as soon as you have symptoms, at any time day or night
 - . Maximum 2 tablets in 24 hours
 - . Do not use for more than 14 days continuously


CAUTION

- . This preparation is for the relief of minor and temporary allments and should be used strictly as directed. If symptoms persist, recur or worsen within two weeks, consult your doctor
- . If new or additional symptoms occur, or symptoms recur within 2 weeks of completing the treatment, consult your doctor
- . Keep out of reach of children

Store below 30°C, Keep dry.

美歐澳台 藥品外盒標示PK(1)





Drug Facts (continued)

Questions? call 1-888-285-9159 (English/Spanish) M - F. 8:30 - 5 EST, or visit www.zantacotc.com

长人台灣醫療改革基金會 Ithcare Reform Foundation



2

美歐澳台 藥品外盒標示PK(2)





